

SALT LAKE COUNTY PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

#290

Little Cottonwood Creek @ 300 West

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1993 TO SEP 1994

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14>	14>	14>	14>	14>		11	39	225	17	11	12
2	14	14>	14>	14>	14>		11	31	184	15	12	12
3	16	14>	14>	14>	14>		11	28	174	14	12	12
4	16	14>	14>	14>	14>		12	20	169	15	13	12
5	18	14>	14>	14>	14>		12	31	157	15	11	12
6	27	14>	14>	14>	14>		12	49	134	14	11	12
7	73	14>	14>	14>	14>		12	52	106	14	12	13
8	61	14>	14>	14>	14>		12	46	68	12	13	14
9	50	14>	14>	14>	14>		12	49	61	12	19	14
10	46	14>	14>	14>	14>	23	12	63	55	12	25	13
11	48	14>	14>	14>	14>	23	12	86	57	12	25	14
12	48	14>	14>	14>	14>	23	12	123	84	13	37	14
13	38	14>	14>	14>	14>	23	13	497	80	12	40	12
14	90	14>	14>	14>	14>	23	13	330	73	12	27	12
15	67	14>	14>	14>	14>	16	10	264	77	12	18	12
16	22	14>	14>	14>	14>	6.1	6.5	257	47	12	13	12
17	15	14>	14>	14>	14>	5.8	6.1	189	32	13	12	12
18	28	14>	14>	14>	14>	5.0	6.1	131	31	11	13	12
19	14	14>	14>	14>	14>	23	10	109	30	12	14	12
20	14	14>	14>	14>	14>	20	18	104	31	11	13	12
21	14	14>	14>	14>	14>	11	42	78	20	9.2	12	12
22	14>	14>	14>	14>		11	59	86	21	10	13	15
23	14>	14>	14>	14>		12	75	103	18	11	13	14
24	14>	14>	14>	14>		11	53	133	17	9.4	14	15
25	14>	14>	14>	14>		11	28	155	15	9.7	14	16
26	14>	14>	14>	14>		11	27	132	15	9.6	14	17
27	14>	14>	14>	14>		11	33	170	16	9.0	13	18
28	14>	14>	14>	14>		11	65	280	14	9.0	14	19
29	14>	14>	14>	14>	-----	11	55	247	13	8.8	13	39
30	14>	14>	14>	14>	-----	11	32	221	16	12	12	40
31	14>	-----	14>	14>	-----	11	-----	271	-----	12	12	-----
TOTAL	873	420	434	434	294	312.9	692.7	4,374	2,040	369.7	495	455
MEAN	28.2	14.0	14.0	14.0	14.0	14.2	23.1	141	68.0	11.9	16.0	15.2
MAX	90	14	14	14	14	23	75	497	225	17	40	40
MIN	14	14	14	14	14	5.0	6.1	20	13	8.8	11	12
AC-FT	1,730	833	861	861	583	621	1,370	8,680	4,050	733	982	902
CAL YEAR 1993	TOTAL*	1,727.0	MEAN	18.8	MAX	90	MIN	14	AC-FT	3,430		
WTR YEAR 1994	TOTAL*	11,194.3	MEAN	32.1	MAX	497	MIN	5.0	AC-FT	22,200		

* Incomplete Record

> Actual value is known to be less than the value shown